

**BATTERY FREE**  
**POWER FREE**  
**OIL FREE**  
**4.2METRE**  
**WORKING HEIGHT**

As part of the Eco range the Ecolift still harnesses the same ECO friendly revolutionary 'Patented Stored Power System' as the Pecolift but at 4.2m offers almost a metre extra in working height.

With no batteries (to charge and look after) and no hydraulic oil, the Ecolift is truly an Eco friendly solution. **We call it 'Non-Powered, Powered Access.'**

**Typical applications and uses:**

Facilities Maintenance, Retail Fit-Out, Point of Sale.

- Intuitive to operate - turn handle to elevate
- Patented\* lift mechanism, no power required
- Lightweight, easy to manoeuvre
- Small footprint (1.28m x 700mm)
- Unlimited lift cycles, can be used 24/7
- Robust design for years of trouble free service
- Minimal operational costs, virtually maintenance free



# SPECIFICATIONS

## WORKING DIMENSIONS

Maximum working height:	4.20m
Maximum platform height:	2.20m
Basket dimensions:	850mm(L) x 644mm (W)
Working footprint:	1.28m x 700mm
Safe working load:	150kg (1 person + tools)
Maximum manual force:	200N
Maximum gradient for operation:	0 degrees
Maximum wind force:	Internal use only, 0 (zero) mph
Maximum wheel force:	234kg
Maximum castor point load:	234kg (2.29kN)
Sound pressure level:	Less than 70DbA


## CLOSED DIMENSIONS

Length:	1.28m
Width:	0.70m
Height:	1.94m
Weight:	305kg

LIFT CYCLES	Unlimited
-------------	-----------

## SAFETY FEATURES

- Auto-braked on entering basket
- 'Auto-lok' brake on elevation
- Dead Man's handle.
- Fail-safe lifting mechanism



SGS



Can be specified for ATEX approval for Zones 1 and 21.

**eco compliant** 

Ecolift is hydraulic oil and battery free, and with no need to charge, has no energy consumption. Pecolift is an eco friendly solution to Powered Access needs.

# ecolift

4.2m Non-Powered, Powered Access

WIND RATED

**BATTERY FREE**  
**POWER FREE**  
**OIL FREE**

**4.2METRE**  
**WORKING HEIGHT**  
**& WIND RATED!**

As part of the Eco range the Ecolift still harnesses the same ECO friendly revolutionary 'Patented Stored Power System' as the Pecolift but at 4.2m offers almost a metre extra in working height.

With no batteries (to charge and look after) and no hydraulic oil, the Ecolift is truly an Eco friendly solution. **We call it 'Non-Powered, Powered Access.'**

#### Typical applications and uses:

Facilities Maintenance, Retail Fit-Out, Point of Sale.

- Operable on gradients up to 3° and in winds up to 12.5m/s
- Intuitive to operate - turn handle to elevate
- Patented\* lift mechanism, no power required
- Lightweight, easy to manoeuvre
- Small footprint (1.28m x 950mm)
- Unlimited lift cycles, can be used 24/7
- Robust design for years of trouble free service
- Minimal operational costs, virtually maintenance free



# SPECIFICATIONS

## WORKING DIMENSIONS

Maximum working height:	4.20m
Maximum platform height:	2.20m
Basket dimensions:	850mm(L) x 644mm (W)
<b>Working footprint:</b>	<b>1.28m x 950mm</b>
Safe working load:	150kg (1 person + tools)
Maximum manual force:	200N
<b>Maximum gradient for operation:</b>	<b>3°</b>
<b>Maximum wind force:</b>	<b>Internal/External use. 12.5m/s</b>
Maximum wheel force:	245kg (2.4kN)
Maximum castor point load:	245kg
Sound pressure level:	Less than 70DbA


## CLOSED DIMENSIONS

Length:	1.28m
Width:	0.95m
Height:	1.94m
Weight:	335kg

LIFT CYCLES	Unlimited
-------------	-----------

## SAFETY FEATURES

- Auto-braked on entering basket
- 'Auto-lok' brake on elevation
- Dead Man's handle
- Fail-safe lifting mechanism



SGS



Can be specified for ATEX approval for Zones 1 and 21.

**eco compliant** 

Pecolift is hydraulic oil and battery free, and with no need to charge, has no energy consumption. Pecolift is an eco friendly solution to Powered Access needs.